BORA

PRODUKTÜBERSICHT
2027

BORA was founded on courage and determination. With the courage to challenge convention. With the determination to forge our own path. And with a commitment to thinking and acting independently. This ethos continues to shape the company today – underpinned by ambition and an uncompromising pursuit of excellence.

The BIG4 are more than just new product launches – they establish our presence across every major category of the kitchen. They mark the next stage in BORA's evolution and our commitment to taking responsibility for the entire kitchen and to bringing our uncompromising standards to new product categories. It takes technological expertise, precision and perseverance to achieve this. Achieving this requires independence: the freedom to think long term, make our own decisions and develop solutions not around what already exists, but around what truly moves people forward.

We don't follow trends. We set standards. True to our mission: with exceptional products that perform noticeably better in everyday use and excel in design. The BIG4 were developed entirely around our customers' needs. To achieve this, we analysed the requirements and challenges they face in depth, developing technical solutions that make a real difference in everyday life. The past 20 years have shown what can be achieved through determination and independence. The BIG4 build on this legacy, and they are only the beginning of what is yet to come.

If the cooktop extractor was my personal milestone, then the BIG4 are our shared masterpiece. The BIG4 are the result of countless hours of work, ideas and passion from teams across our entire company. I am deeply grateful to every one of them for their commitment and their willingness to keep breaking new ground. I look forward to writing the next chapter together.

Willi Bruckbauer
BORA Founder



BORA products

Our holistic kitchen concept empowers people to achieve the best cooking results.

① **BORA cooktop extractor systems**
Cooking as if you were outdoors –
for us, it's only natural.

② **BORA steam cooking and baking systems**
Baking, steaming and much more –
with premium appliances for home use.

③ **BORA refrigeration and freezing systems**
Smart design meets effective cooling.



④

BORA cleaning and washing-up systems
Professional performance inspired by commercial kitchens, for outstanding cleaning results at home.

⑤

BORA lighting
Minimalist design and maximum light.

⑥

BORA supplies and accessories
The perfect supplies and functional accessories for all BORA products.





BORA Professional 3.0

The high-end cooktop extractor system with innovative control knob operation and individually selectable cooktops.

PKA3/PKA3AB:



PKAS3/PKAS3AB:



Modular system
Mix and match our largest cooktops with a depth of 540 mm in line with your cooking preferences: from surface induction to gas cooktops or the Tepan stainless steel grill. The cooktops can be mixed and matched with the extractor system. Combinations are possible even when using one, three or more cooktops. A second extractor is required when using more than two cooktops.

Automatic cover flap
The cover flap opens and closes automatically when the extractor is used. The integrated sensor technology reliably prevents items from getting trapped during closure. When switched off, the elegant system is fully closed.


Custom design
The BORA Professional 3.0 features an impressively elegant design. The cooktop extractor and control knobs are available in All Black or stainless steel. The surface induction cooktop also comes in a choice of high-gloss or matt glass ceramic.

Intuitive control knob
The combination of a classic control knob and a touch panel with a high-definition LED display guarantees perfect control. All functions are conveniently, easily and intuitively activated by turning the knobs and tapping the central touch panel.

Please note: Last order date: 16.04.2027 last delivery: 30.04.2027. Coming soon. Next generation. Experience Days 2027.

BORA Professional 3.0 – Modular cooktop extractor system

The cooktops can be mixed and matched with the extractor system.



Intuitive control knob:



Control knob
BORA Pro 3.0



Control knob
BORA Pro 3.0, All Black



PKA3
Pro cooktop extractor
482 x 540 x 176 mm
- Surface: Stainless steel
- Automatic extractor function
- Automatic cover flap

PKAS3
Pro cooktop extractor system with integrated fan
468 x 540 x 199 mm
- Surface: Stainless steel
- Automatic extractor function
- Automatic cover flap



PKA3AB
Pro cooktop extractor, All Black
482 x 540 x 176 mm
- Surface: Stainless steel (black)
- Automatic extractor function
- Automatic cover flap


PKAS3AB
Pro cooktop extractor system with integrated fan, All Black
468 x 540 x 199 mm
- Surface: Stainless steel (black)
- Automatic extractor function
- Automatic cover flap




PKFI3
PKFI3AB
Pro surface induction cooktop (...All Black)
370 x 540 x 52 mm
- Surface: Glass ceramic
- Oversized surface induction cooking zones (230 x 230 mm)
- Cooktop power display
- Demo mode
- Also available as a set with a matt glass-ceramic finish (see Sets)



PKI3
PKI3AB
Pro induction cooktop (...All Black)
370 x 540 x 52 mm
- Surface: Glass ceramic
- Cooking zones: front Ø230 mm, back Ø165 mm
- Cooktop power display
- Demo mode



PKIW3
PKIW3AB
Pro induction wok cooktop (...All Black)
370 x 540 x 128 mm
- Surface: Glass ceramic
- Cooking zone: Ø310 mm
- Enhanced breakage resistance
- Demo mode



PKC3
PKC3AB
Pro HiLight cooktop 3-ring/2-ring (...All Black)

370 x 540 x 73 mm

- Surface: Glass ceramic
- Cooking zones: front Ø120/180/235 mm, back Ø120/200 mm
- 2-ring, 3-ring additional switching
- Demo mode



PKCB3
PKCB3AB
Pro HiLight cooktop 3-ring/roaster (...All Black)

370 x 540 x 73 mm

- Surface: Glass ceramic
- Cooking zones: front Ø 120/180/235 mm, back Ø 165/290 x 165 mm
- 2-ring, 3-ring/roaster additional switching
- Demo mode



PKCH3
PKCH3AB
Pro Hyper cooktop 1-ring/2-ring (...All Black)

370 x 540 x 73 mm

- Surface: Glass ceramic
- Cooking zones: front Ø235 mm, back Ø120/200 mm
- Hyper setting, 2-ring additional switching
- Demo mode



PKG3
PKG3AB
Pro gas cooktop (...All Black)

370 x 540 x 73 mm

- Surface: Glass ceramic
- Cooking zones: front Ø240 mm, back Ø200 mm
- Recessed gas burners
- Automatic re-ignition
- Dishwasher-safe pan supports
- Precise electronic control




PKT3
PKT3AB
Pro Tepan stainless steel grill with 2 cooking zones (...All Black)

370 x 540 x 73 mm

- Surface: Brushed stainless steel
- Cooking zones: Ø295/230 mm (bridged: 295 x 460 mm)
- Precise temperature control
- Precise temperature indicator
- Rapid heat-up
- Cleaning-optimised design
- Demo mode

BORA Professional 3.0 – Sets

Cooktop extractor system with integrated fan, two cooktops and Ecotube duct components for downward air channelling.
ADVANTAGE: 1 order number, 1 price.



Recirculation system: BORA air purification box ULBF or ULB3X.

Exhaust air: BORA wall sleeve UEBF/1, UEBR/1 or UEBRK/1.

Additional Ecotube duct components and a BORA universal fan can be added to suit individual planning requirements.



Pro surface induction set

- 1x PKAS3, 2x PKFI3 or 2x PKFI3R, 1x EFV/1, 1x EFS375/1, 1x EFBV90/1

With high-gloss glass ceramic: **PKAS3FI**

With matt glass ceramic: **PKAS3FIR**



Pro surface induction set, All Black

- 1x PKAS3AB, 2x PKFI3AB or 2x PKFI3ABR, 1x EFV/1, 1x EFS375/1, 1x EFBV90/1

With high-gloss glass ceramic: **PKAS3FIAB**

With matt glass ceramic: **PKAS3FIABR**



Pro surface induction Tepan set

- 1x PKAS3, 1x PKFI3 or 1x PKFI3R, 1x PKT3, 1x EFV/1, 1x EFS375/1, 1x EFBV90/1

With high-gloss glass ceramic: **PKAS3FIT**

With matt glass ceramic: **PKAS3FITR**



Pro HiLight set

- 1x PKAS3, 1x PKC3, 1x PKCB3, 1x EFV/1, 1x EFS375/1, 1x EFBV90/1

With high-gloss glass ceramic: **PKAS3HL**



BORA Classic 2.0

The modular cooktop extractor system with intuitive operation and freely selectable cooktops.




Modular system
Whether surface induction, gas, wok or the Tepan stainless steel grill, the system can be customised with seven different cooktops to suit your cooking preferences. Even combinations of multiple extractors and cooktops are possible.

Highly elegant design
The cooktop and extractor are completely flush mounted. The straight lines allow subtle yet elegant integration into any kitchen design. The operating panel is practically invisible in standby mode and scaled down to the essentials during operation.

Intuitive operation
The operating panel can be intuitively operated by swiping up and down a smooth hollow or directly tapping with your index finger. Important functions can be accessed with a single touch. A colour change differentiates between the cooktop and extractor controls.

BORA Classic 2.0 – Modular cooktop extractor system

The cooktops can be mixed and matched with the extractor system.



Easy to order:
One popular option is the combination of a set with one or more additional modular elements.
You can then easily order the required Ecotube components for an exhaust air system, or an odour filter if fitting a recirculated air system.




CKA2
Classic cooktop extractor
439 x 515 x 190 mm

- Intuitive multi-coloured sControl+ operating panel
- Direct function selection
- Minimum volume
- Integrated grease drip tray
- Stainless steel grease filter
- Compact size




CKA2AB
Classic cooktop extractor, All Black
439 x 515 x 190 mm

- Intuitive multi-coloured sControl+ operating panel
- Direct function selection
- Minimum volume
- Integrated grease drip tray
- Stainless steel grease filter
- Compact size




CKFI
Classic surface induction cooktop
327 x 515 x 58 mm

- Surface: Glass ceramic
- Oversized surface induction cooking zones (230 x 230 mm)
- Compact size
- Minimalist design
- Demo mode




CKI
Classic induction cooktop
327 x 515 x 58 mm

- Surface: Glass ceramic
- Cooking zones: front Ø230 mm, back Ø165 mm
- Compact size
- Minimalist design
- Demo mode



CKIW
Classic induction wok cooktop
327 x 515 x 116 mm

- Surface: Glass ceramic
- Cooking zone: Ø250 mm
- Compact size
- Minimalist design
- Enhanced breakage resistance
- Demo mode



CKCH

Classic
Hyper cooktop
1-ring/2-ring

327 x 515 x 75 mm

- Surface: Glass ceramic
- Cooking zones: front Ø215 mm, back Ø120/180 mm
- Compact size
- Minimalist design
- 2-ring additional switching
- Demo mode



CKCB

Classic
HiLight cooktop
1-ring/2-ring/roaster

327 x 515 x 75 mm

- Surface: Glass ceramic
- Cooking zones: front Ø180 mm, back Ø120/180 mm, roaster 180 x 410 mm
- Compact size
- Minimalist design
- 2-ring additional switching
- Oversized roaster cooktop
- Demo mode



CKG

Classic
gas cooktop

327 x 515 x 73 mm

- Surface: Glass ceramic
- Cooking zones: front Ø240 mm, back Ø200 mm
- Compact size
- Minimalist design
- Recessed gas burners
- Automatic re-ignition
- Dishwasher-safe pan supports
- Precise electronic control



CKT


Classic
Tepan stainless steel grill with 2 cooking zones

327 x 515 x 73 mm

- Surface: Brushed stainless steel
- Cooking zones: Ø250 x 220 mm (bridged: 250 x 440 mm)
- Compact size
- Minimalist design
- Precise temperature control
- Precise temperature indicator
- Rapid heat-up
- Cleaning-optimised design
- Demo mode

BORA Classic 2.0 – Sets

Cooktop extractor, two cooktops, silencer, plinth fan, and all Ecotube duct components up to the plinth fan. ADVANTAGE: 1 order number, 1 price.



Recirculation system:
BORA air purification box ULBF or ULB3X.

Exhaust air:
BORA wall sleeve UEBF/1, UEBR/1 or UEBRK/1.

Additional Ecotube duct components and a BORA universal fan can be added to suit individual planning requirements.



CKA2FI
BORA Classic 2.0 surface induction set
- 1x CKASE2 (Classic 2.0 cooktop extractor system set)
- 2x CKFI (Classic surface induction cooktop)



CKA2FIAB
BORA Classic 2.0 surface induction cooktop set, All Black
- 1x CKASE2AB (Classic 2.0 cooktop extractor system set, All Black)
- 2x CKFI (Classic surface induction cooktop)





CKA2FIT
BORA Classic 2.0 surface induction Tepan set
- 1x CKASE2 (Classic cooktop extractor system set)
- 1x CKFI (Classic surface induction cooktop)
- 1x CKT (Classic Tepan stainless steel grill with 2 cooking zones)



CKA2HB
BORA Classic 2.0 Hyper roaster set
- 1x CKASE2 (Classic 2.0 cooktop extractor system set)
- 1x CKCH (Classic Hyper cooktop 1-ring/2-ring)
- 1x CKCB (Classic HiLight cooktop 1-ring/2-ring/roaster)

Modular cooktop extractor system





	BORA Professional 3.0 2/1 combination	**BORA Classic 2.0** 2/1 combination
Modular system with individual cooktop selection	Surface induction cooktop Induction cooktop Induction wok cooktop Gas cooktop Hyper-cooktop HiLight-cooktop HiLight-cooktop with roaster Tepan stainless steel grill	Surface induction cooktop Induction cooktop Induction wok cooktop Gas cooktop Hyper-cooktop HiLight-cooktop Tepan stainless steel grill
Operation	Intuitive control knob combining a classic control knob and a sensitive touch surface.	Intuitive tricolour sControl+ touch controls with contextual colour change.
Dimensions (width x depth x height)	PKA3/PKA3AB: **852 x 540 x 176 mm** PKAS3/PKAS3AB: **852 x 540 x 199 mm**	**772 x 515 x 190 mm**
Minimum kitchen unit width	**90 cm**	**80 cm**
Energy efficiency class*	PKA3 / PKA3AB: **A++** PKAS3 / PKAS3AB: **A+**	**A+**
Noise emissions*	PKA3 / PKA3AB: **65 dB(A)** PKAS3 / PKAS3AB: **67 dB(A)**	**65 dB(A)**
Bridging function	For the surface induction cooktop and Tepan stainless steel grill	For the surface induction cooktop and Tepan stainless steel grill
Heat retention function	Variable heat retention function	Variable heat retention function
Temperature indicator	For the Tepan stainless steel grill (temperatures up to 250 °C)	For the Tepan stainless steel grill (temperatures up to 250 °C)
BORA Assist	–	–
BORA Connect **Wi-Fi and Bluetooth**	–	–
Odour filter service life (for recirculation systems)	**300 or 600 hours** (depending on the filter type)	**300 or 600 hours** (depending on the filter type)
Odour filter replacement	Through the plinth or base unit	Through the plinth or base unit

*applies to the exhaust air version according to Delegated Regulation (EU) No 65/2014.

Modular cooktop extractor system accessories

Product number		Designation	Pro 3.0	Classic 2.0
PKA1FF		**Pro stainless steel grease filter**	x	
PKR3		**Pro knob ring**	x	
PKR3AB		**Pro knob ring, All Black**	x	
CER		**Classic inlay frame**		x
CKAED		**Classic air inlet nozzle**		x
CKAEDAB		**Classic air inlet nozzle, All Black**		x
CKAFFE		**Classic grease filter unit**		x
KWGPFI		**Grill pan for surface induction**	x	x
HIW1		**Induction wok pan**	x	x
KWTS		**Tepan spatula**	x	x

Recirculation system accessories

Product number		Designation	Pro 3.0	Classic 2.0
ULBF		**Flexible air purification box**	x	x
ULB3X		**Air purification box 3**	x	x
ULB3AS		**Air purification box 3 activated charcoal filter set**	x	x

Extractor system accessories

Product number	Designation
ER750/1	**Ecotube round duct 750 mm**
EFS750/1	**Ecotube shallow duct with partition 750 mm**
EFS375/1	**Ecotube shallow duct with partition 375 mm**
EF47/1	**Ecotube shallow duct with partition 47 mm**
ERB90/1	**Ecotube round 90° bend**
EFBH90/1	**Ecotube shallow horizontal 90° bend**
EFBV90/1	**Ecotube shallow vertical 90° bend**
EFBH15/1	**Ecotube shallow horizontal 15° bend**
EFR90/1	**Ecotube shallow round 90° transition piece**
EFRG/1	**Ecotube shallow round straight transition piece**
EFRV/1	**Ecotube shallow round offset transition piece**
EFRV110/1	**Ecotube shallow round offset transition piece 110 mm**
EFAF*	**Ecotube flexible shallow adapter**
ERV/1	**Ecotube round duct connection**
EFV/1	**Ecotube shallow duct connection**
UEBF/1	**3box wall sleeve**
UEBR/1	**3box round wall sleeve**
UEBRK/1	**3box short round wall sleeve**

BORA sockets

Product number		Designation
USTF / USTFAB		**Socket type F (...All Black)** Suitable for DE, ES, IT, AT, LU, PT, SE, NL, SL
USTE / USTEAB		**Socket type E (...All Black)** Suitable for FR, PL, BE, CZ, SK
USTJ / USTJAB		**Socket type J (...All Black)** Suitable for CH, LI
USTG / USTGAB		**Socket type G (...All Black)** Suitable for UK, AE, SG





BORA Pure family

Perfect cooktop extractor systems for kitchens of all sizes.



Perfect for every kitchen
The BORA Pure family offers the perfect solution for kitchens of any size. The systems are suitable for kitchen cabinets with widths of 90, 80 or 60 cm. Thanks to their compact dimensions the systems fit perfectly in any standard row of kitchen units. The height of less than 20 cm offers maximum storage space for pots and kitchen utensils in the base unit. And with recirculation, there is no need to shorten the drawers.

Minimalist elegance
The elegant and minimalist cooktop extractor systems in the Pure family impress with their flush design. The air inlet nozzle can be easily removed using the tilt function. The cooktop extraction systems are available in either gloss or matt glass-ceramic.

BORA Assist
Enjoy relaxed cooking with BORA Assist: The Assist functions help you focus on what really matters – the key ingredients, the cooking experience and the people around the table. When used with Assist-compatible cookware, the Assist functions take care of many tasks automatically. More complex cooking tasks become noticeably easier.

Intuitive operation
Every cooktop extractor system in the BORA Pure family features intuitive controls. The BORA X Pure Max's xControl operating concept combines a high-resolution touchscreen with optional control knobs. The BORA X Pure, M Pure, Pure and S Pure are operated via the sControl+ touch controls with a vertical slider.

BORA X Pure Max – The cooktop extractor system with five cooking zones and optional control knobs.



With its fifth cooking zone, the BORA X Pure Max offers a new level of flexibility in the kitchen. Its flush-mounted design and elegant honeycomb air inlet nozzle make BORA X Pure Max a striking design statement. The high-resolution touchscreen enables exceptionally intuitive, precise control and provides clear feedback. Optional control knobs add another intuitive, tactile way to operate the cooktop extractor system.



NEW



BORA X Pure Max

X Pure Max surface induction cooktop with integrated cooktop extractor – exhaust air/recirculation

830 x 515 x 199 mm

- Suitable for kitchen units with a min. width of 90 cm
- 4 oversized surface induction cooking zones (230 x 230 mm) + 1 centrally positioned rear cooking zone (Ø140 mm)
- High-resolution touchscreen with innovative xControl controls
- Optional control knobs
- BORA Assist
- Stainless steel grease filter and integrated grease drip tray
- eSwap odour filter with easy top-access filter change

With high-gloss glass ceramic:
PUXAM/PUXUM

With matt glass ceramic:
PUXAMR/PUXUMR

Optional:

PUBKM5

Pure illuminated control knob (5 pcs)

- Intuitive, tactile temperature control for all cooking zones
- Minimalist, ring-shaped design
- Dynamic white and red lighting





The versatile cooktop extractor system with outstanding flexibility.



The BORA Pure family offers the perfect solution for kitchens of any size. Elegant, minimalistic and technically sophisticated. The best materials, excellent extraction performance and outstanding odour filtration come together to provide a premium cooking experience. The combination of the cooktop and extractor creates a compact, closed unit that integrates into any kitchen. With an installation height of less than 20 cm, valuable storage space is preserved – without compromising on functionality or design.



BORA X Pure

X Pure surface induction cooktop with integrated cooktop extractor – exhaust air/recirculation

830 x 515 x 199 mm

- Suitable for kitchen units with a min. width of 90 cm
- 4 oversized surface induction cooking zones (230 x 230 mm)
- Operating panel with intuitive three-colour sControl+ controls
- Connectivity and BORA Assist
- Stainless steel grease filter and integrated grease drip tray
- eSwap odour filter with easy top-access filter change

With high-gloss glass ceramic:
PUXA2/PUXU2

With matt glass ceramic:
PUXA2R/PUXU2R



BORA M Pure

M Pure combined induction cooktop with integrated cooktop extractor – exhaust air/recirculation

760 x 515 x 199 mm

- Suitable for kitchen units with a min. width of 80 cm.
- 2 cooking zones on the left (front Ø210 mm, rear Ø175 mm) + 2 oversized surface induction cooking zones on the right (230 x 230 mm)
- Operating panel with intuitive three-colour sControl+ controls
- Connectivity and BORA Assist
- Stainless steel grease filter and integrated grease drip tray
- eSwap odour filter with easy top-access filter change

With high-gloss glass ceramic:
PURMA2/PURMU2

With matt glass ceramic:
PURMA2R/PURMU2R



BORA Pure

Pure induction cooktop with integrated cooktop extractor – exhaust air/recirculation

760 x 515 x 199 mm

- Suitable for kitchen units with a min. width of 80 cm.
- 2 cooking zones left + 2 cooking zones right (front Ø210 mm, rear Ø175 mm)
- Operating panel with intuitive three-colour sControl+ controls
- Connectivity and BORA Assist
- Stainless steel grease filter and integrated grease drip tray
- eSwap odour filter with easy top-access filter change

With high-gloss glass ceramic:
PURA2/PURU2

With matt glass ceramic:
PURA2R/PURU2R



BORA S Pure

S Pure combined induction cooktop with integrated cooktop extractor – exhaust air/recirculation


580 x 515 x 199 mm

- Suitable for kitchen units with a min. width of 60 cm.
- 2 cooking zones left (front Ø95 mm, rear Ø140 mm) + 2 oversized surface induction cooking zones right (230 x 230 mm)
- Operating panel with intuitive three-colour sControl+ controls
- Connectivity and BORA Assist
- Stainless steel grease filter and integrated grease drip tray
- eSwap odour filter with easy top-access filter change


With high-gloss glass ceramic:
PURSA2/PURSU2

With matt glass ceramic:
PURSA2R/PURSU2R

Compact cooktop extractor system






BORA X Pure Max
5 cooking zones



BORA X Pure
4 cooking zones

Cooktop with integrated cooktop extractor	Compact system 4 surface induction cooktop zones 1 induction cooking zones	Compact system 4 surface induction cooktop zones
Operation	xControl with a touchscreen and optional control knobs	sControl+ with operating panel
Dimensions (width x depth x height)	**830 x 515 x 199 mm**	**830 x 515 x 199 mm**
Minimum kitchen unit width	**90 cm**	**90 cm**
Energy efficiency class*	**A+**	**A+**
Noise emissions*	**66 dB(A)**	**67 dB(A)**
Bridging function	✓	✓
Heat retention function	Assist Keep warm	3 heat retention levels
Temperature indicator	With the Fry Assist function (temperatures 120 – 220 °C)	With the Fry Assist function (temperatures 120 – 220 °C)
BORA Assist	Fry, Boil, Melt, Heat retention function, Simmer, Pasta, Steam, Coffee	Fry, Boil
BORA Connect **Wi-Fi and Bluetooth**	–	✓
Odour filter service life (for recirculation systems)	**150 hours** (1 year)	**150 hours** (1 year)
Odour filter replacement	Simple eSwap filter changes from above through the air inlet opening	Simple eSwap filter changes from above through the air inlet opening

*applies to the exhaust air version according to Delegated Regulation (EU) No 65/2014.

		
BORA M Pure 4 cooking zones	**BORA Pure** 4 cooking zones	**BORA S Pure** 4 cooking zones
Compact system 2 induction cooking zones 2 surface induction cooktop zones	Compact system 4 induction cooking zones	Compact system 2 induction cooking zones 2 surface induction cooktop zones
sControl+ with operating panel	sControl+ with operating panel	sControl+ with operating panel
760 x 515 x 199 mm	**760 x 515 x 199 mm**	**580 x 515 x 199 mm**
80 cm	**80 cm**	**60 cm**
A+	**A+**	**A+**
67 dB(A)	**67 dB(A)**	**66 dB(A)**
✓	–	✓
3 heat retention levels	1 heat retention level	1 heat retention level
With the Fry Assist function (temperatures 120 – 220 °C)	With the Fry Assist function (temperatures 120 – 220 °C)	Eith the Fry Assist function (temperatures 120 – 220 °C)
Fry, Boil	Fry, Boil	Fry, Coffee
✓	✓	✓
150 hours (1 year)	**150 hours** (1 year)	**150 hours** (1 year)
Simple eSwap filter changes from above through the air inlet opening	Simple eSwap filter changes from above through the air inlet opening	Simple eSwap filter changes from above through the air inlet opening



BORA Basic

The cooktop extractor system with a radiant cooktop and effective extraction.



Compact radiant cooktop
The radiant heating elements are heated and convey heat to the cookware. All kinds of cookware can be used, including ceramic and copper pots.

Super quick initial heating
The Basic Hyper heats up extraordinarily quickly for a radiant cooktop. The Hyper cooking zone with its radiant heating elements offers up to 50 % higher performance on the power setting.

Extractor opening overflow protection
The raised design of the air inlet opening prevents liquid from running into it from the cooktop.

Please note:
Last delivery 30.04.2027,
last order date 16.04.2027.



BHA/BHU

Basic Hyper cooktop with integrated cooktop extractor – exhaust air/recirculation


760 x 515 x 196 mm

- Suitable for kitchen units with a min. width of 80 cm
- Surface: Glass ceramic
- Cooking zones:
  front Ø210 mm,
  back Ø140 mm
- Compact radiant cooktop
- Hyper cooking zone for super quick initial heating
- Stainless steel grease filter

Compact cooktop extractor system accessories

Product number		Designation	Pure family	Basic
PUEDM		**Pure Max air inlet nozzle**	x	
PUXED2		**X Pure air inlet nozzle**	x	
PUED2		**Pure black air inlet nozzle for the second generation of compact appliances, black**	x	
GP4ED		**Air inlet nozzle for Basic/GP4**		x
PUEF		**Pure stainless steel grease filter**	x	
BFF		**Basic stainless steel grease filter BH/BF**		x
GFESP		**eSwap Plus odour filter**	x	
GFES		**eSwap odour filter**	x	
BAKFS		**Basic activated charcoal filter set (2 pcs) BHU/BIU/BFIU**		x
KFR580AB		**Cooktop frame for a cooktop width of 580 mm, All Black**	x (S Pure)	
KFR760AB		**Cooktop frame for a cooktop width of 760 mm, All Black**	x (M Pure, Pure)	
KFR830AB		**Cooktop frame for a cooktop width of 830 mm, All Black**	x (X Pure Max, X Pure)	
USL515		**Side frame for a cooktop depth of 515 mm**	x	x
USL515AB		**Side frame for a cooktop depth of 515 mm, All Black**	x	x
KWGPFI		Grill pan for surface induction Assist-compatible	x	
KWPAP7		3-piece pot set Assist-compatible	x	x
KWPAP8		**Frying pan Ø24 cm** Assist-compatible	x	x


Tomahawk steak
29:50 min
Intensive clean
BORA



BORA X BO

The professional steam oven for your home.



A premium design with a large touch display
Jet black and understated with a confidently restrained design: the BORA X BO features high-quality glass surfaces, multi-level lighting in the stainless steel oven chamber and an operating concept that dispenses with knobs and handles in favour of a large, 19-inch touch display.

Pre-set programmes and especially even cooking results on all shelf guides
Perfectly preset automatic and special programmes, powered by xHeat+ technology, deliver exceptionally even cooking results. For perfect results every time, even when cooking on all three levels at the same time. Control the programmes directly on the appliance or via the BORA One app on your smart phone.

Fully automatic intensive cleaning
Fully automatic cleaning makes even the clean-up effortless. The appliance is cleaned and dried automatically – all you have to do is screw the environmentally friendly, recyclable cleaning cartridge into the centre of the oven rack.

Automatic steam extraction and effective odour filtration
BORA Smart Open automatically extracts the steam from the oven chamber before the door is opened. This prevents condensation from forming on the unit front and steam from reaching the user's face. The odour filter also neutralises unpleasant odours. Changing the filter is extremely easy.

Steam oven with a mains water connection, automatic cleaning and unique odour filtration.

Scope of delivery:

- 1x X BO steam oven
- 1x X BO frame spacer
- 1x X BO perforated stainless steel tray
- 1x X BO oven rack
- 1x X BO universal tray
- 1x X BO deep universal tray
- 1x X BO cleaning cartridge
- 1x X BO odour filter




XBO

BORA X BO steam oven

598 x 599 x 580 mm

- Tiltable 19-inch touchscreen
- LED multi-level lighting
- Activated charcoal odour filter
- Filter service display
- Simple filter change from the front
- Four-point food thermometer to determine precisely when food is cooked
- Mains water connection
- High-performance heating and powerful hot air fan
- Individually adjustable target humidity and temperature
- BORA Smart Open – automatic door opening and steam extraction
- Practical info and tips, first steps and dishes
- Can be connected to a BORA multi-drawer
- Can be connected to and controlled with the BORA One app

Accessories




XBOUB
X BO universal tray



XBOUBT
X BO deep universal tray




XBOBGP
X BO baking and grilling plate



XBOBGR
X BO oven rack



XBOGBG
X BO perforated stainless steel tray




XBOAFB
X BO Airfry tray



KWPZZ
Pizza peel black



KWOG
Oven gloves



XBOGF
X BO odour filter



XBORK/6
X BO cleaning cartridge (6 pcs)

XBORK/12
X BO cleaning cartridge (12 pcs)





BORA Oven Steam

The professional steam oven for every beautiful kitchen.



Top performance and multi-functionality
The BORA Oven Steam combines a steam oven and a conventional oven in a single appliance. With xHeat, an innovative combination of steam and hot-air technology, consistently even cooking results are achieved on all three levels – with professional-quality results you can reproduce every time. With the right accessories, it also becomes the perfect air fryer – making air frying effortless. Thanks to its innovative technology, it also offers an alternative to a microwave, gently refreshing food with steam in no time.

Cook with ease using the BORA One app and BORA Assist
BORA Assist makes cooking more relaxed. Once the BORA Oven Steam is connected to the BORA One app, the app provides suitable recipes and perfectly matched Assist functions. For even better cooking results, the app guides you through every step of the cooking process. With BORA Assist, achieving excellent results is effortless.

Premium design with a minimalist operating panel
Deep black and understated: The BORA Oven Steam combines premium glass finishes with a clean, minimalist control concept. The minimalist design, free from handles and control knobs, blends seamlessly into any kitchen aesthetic. The clean, uncluttered operating panel makes intuitive, precise settings possible in just a few steps.

Easy-to-remove water tank
The removable water tank eliminates the need for a mains water connection. The BORA Oven Steam's water tank can be removed quickly and easily. The removable lid makes both refilling the water tank and thorough cleaning easier. For maximum convenience, the water tank is also dishwasher-safe.

Steam oven with a water tank, a minimalist operating panel and extended functionality through the BORA One app.

Scope of delivery:

- 1x Oven Steam steam oven
- 1x X BO perforated stainless steel tray
- 1x X BO oven rack
- 1x X BO universal tray



NEW

OVENS

BORA Oven Steam steam oven


596 x 598 x 575 mm

- Powerful steam and hot air technology
- 5 operating modes
- Compatible with the BORA Stick
- Individually adjustable target humidity, target temperature and cooking time
- Automatic door opening
- Assist functions and appliance-specific recipes via the BORA One app
- Removable water tank
- Guided cleaning


180°
8:20
20%



Accessories




XBOUB
X BO universal tray



XBOUBT
X BO deep universal tray




XBOBGP
X BO baking and grilling plate



XBOBGR
X BO oven rack



XBOGBG
X BO perforated stainless steel tray



XBOAFB
X BO Airfry tray



STICK
Stick




KWPZZ
Pizza peel




KWOG
Oven gloves

OVENED
Full-extension telescopic runners right and left

Steam ovens





	BORA X BO Mains water connection	**BORA Oven Steam** Removable water tank
Operation	19-inch touch display	Operating panel
Oven chamber	Stainless steel oven chamber	Enamelled oven chamber
Oven chamber volume	53 litres	64 litres
Oven chamber lighting	Multi-Level lighting	Single-Level lighting
Dimensions (width x height x depth)	598 x 599 x 580 mm	596 x 598 x 575 mm
Maximum power consumption	6100 W	3200 W
Heat-up time (200 °C)	Less than 4 minutes	Less than 6 minutes
Energy efficiency class*	A	A
Food thermometer	Integrated, cable-connected	As an accessory
Automatic door opening	✓ with steam extraction	✓
Airfry function	✓	✓
Cleaning	automatic	Manual (guided cleaning function)
BORA Assist	✓	With the BORA One app
BORA Connect	✓	✓
Active odour filter	✓	–



BORA multi-drawer

The versatile heat drawer with variable functions.

Intuitive operation
Simply tap the user-friendly touchscreen to select the desired programme from the presets – or set the temperature and heating duration individually. If connected to the BORA X BO, the multi-drawer can also be controlled via its display.

Top performance – powerful and versatile
The BORA multi-drawer's presets make it extremely versatile: you can use it to pre-heat plates and dishes, cook at low temperatures, regenerate or defrost food, or simply to keep meals warm. When using the deeper version of the BORA multi-drawer, you can even work on two levels.
The BORA multi-drawer is a multi-talented appliance that is second to none.

Simple cleaning
All of the BORA multi-drawer's surfaces are easy to access and therefore quick to clean. The sophisticated design has no sharp edges or joins, so everything is sparkling clean again in a flash.

Minimalist design
The BORA multi-drawer's black design focuses on the bare essentials. You have two choices for the handleless front: either adapt it to your existing kitchen units so that it blends seamlessly into your kitchen design, or create a design highlight with the BORA glass front which perfectly matches the elegant BORA X BO.

BORA multi-drawers




MS290
Multi-drawer 290 mm



MS140
Multi-drawer 140 mm

Accessories



MSF290
Multi-drawer glass front 290 mm



MSF140
Multi-drawer glass front 140 mm



MSER
Multi-drawer shelf rack

Sets



MSS290
BORA multi-drawer set, 290 mm incl. glass front (1x MS290, 1x MSF290)



MSS140
BORA multi-drawer set, 140 mm incl. glass front (1x MS140, 1x MSF140)


BORA



BORA Dish

The 10-minute dishwasher for your home.*

Dishwashing in record time
With BORA xSpeed, the BORA Dish's everyday programme, dishes are cleaned and dried in just 10 minutes. The BORA Dish uses the few minutes spent loading the dishwasher to preheat, allowing the wash cycle to start immediately once loading is complete – with no waiting time. The exceptionally short wash cycle helps keep your kitchen running smoothly at all times: cooking, dining and cleaning flow almost seamlessly together.


BORA eDose automatic dosing system
Outstanding cleaning results are achieved with BORA cleaning products – BORA Dish Gel and BORA Rinse Aid – which are simply filled into the dedicated dispensers. The amount dispensed is automatically adjusted and perfectly matched to each programme. The result: consistently outstanding cleaning results with efficient use of resources.

Exceptional capacity
The BORA Dish makes the most of its compact design, offering capacity for up to seven place settings. It also accommodates large pizza plates, tall containers and even the food supports from the BORA X BO and the BORA Oven Steam. The remarkably high hourly throughput maximises efficiency and delivers far more clean dishes than you would expect.

Premium design
The wash chamber makes a striking design statement with its diamond-patterned interior. Elements that are purely functional on conventional appliances have been elevated through a carefully considered colour palette and the distinctive BORA design language. Deep black interior components set a new standard in aesthetics.

* at a water inlet temperature of 44 °C, following completion of the preheating cycle (PreHeat), and using BORA cleaning products.

BORA Dish fully integrated dishwasher.



The appliance can be installed either at floor level or in a raised position. Thanks to its reduced height, it can be combined with a wide range of base cabinets and wall units.



NEW

DISH

BORA Dish dishwasher

597 x 610 x 550 mm

- 4 programmes for outstanding cleaning results (xSpeed, Eco, Intensive, Gentle)
- Enhanced drying with BORA Dry+
- Extra rinse with BORA Rinse+
- Flexible basket design
- Integrated machine care programme
- High-resolution touchscreen
- 24 display languages
- BORA eDose automatic dosing system
- Easy reordering of BORA cleaning products
- BORA Connect with the BORA One app
- Stainless steel wash chamber
- Interior lighting

Cleaning products and accessories

Product number	Designation
DISHGEL1	**Detergent 1**
DISHGEL2	**Detergent 2**
DISHKS	**Rinse aid**
DISHRMS	**Set of detergents**
DISHRPS	**Cleaning and care products set**
DISHBK	**Dish cutlery basket**
DISHGKB	**Dish basket shelf**
DISHKH	**Dish carafe holder**
DISHWK	**Dish replacement basket set**
DISHWKS	**Dish replacement basket rails**




BORA



BORA Cool & Freeze

Smart, well-organised food refrigeration.

Cool,
Cool Combi (...XL)



Freeze



High-quality design
The different refrigerator models and the freezer are all characterised by elegant designs, with high-quality, sophisticated components for the interior. The omission of ornamental trims and features coupled with the use of easy-to-remove inserts highlights the focus on the essentials and makes the appliances easier to clean.

Top performance
Our products naturally offer outstanding refrigeration and freezing and feature innovative convection cooling, separate cooling circuits, No Frost technology and a BORA Fresh zero compartment. Cooling and freezing programmes such as PowerCool and PowerFreeze temporarily reduce the temperature of the BORA refrigeration and freezer systems to the lowest technically possible level.

Fresh air thanks to the BORA Cool odour filter
The BORA Cool odour filter with an integrated activated charcoal core, reduces even strong odours in the refrigeration compartment thanks to its exceptionally large airflow surface in a compact space. The filter is discreetly positioned behind the ventilator cover and simply needs to be manually replaced once a year.

BORA Fresh zero
The temperature in the BORA Fresh zero compartment is around 0 °C. The resultant conditions are ideal for storing sensitive food such as loose fruit and vegetables. Optimum storage keeps your food fresh for as long as possible and retains valuable vitamins and minerals. The BORA Fresh zero containers can be removed easily for filling or cleaning.

Smart design meets effective cooling. Freshly Inspired. Refrigeration and freezing systems by BORA.



Storing food correctly has multiple benefits: longer-lasting freshness, better flavour and less waste. The BORA refrigeration and freezing systems make this particularly easy. Thoughtfully designed storage zones, versatile accessories for organised storage and the innovative BORA Fresh zero compartments help keep ingredients fresh for longer.



C178K

Cool refrigerator

559 x 1770 x 546 mm

- Total volume: 296 l
- Refrigerator compartment dry back panel
- Cool odour filter
- Soft closing damper and soft closing pull-outs
- Fixed door assembly
- LED multi-level lighting



C178KGF

Cool refrigerator with 4-star freezer compartment

559 x 1770 x 546 mm

- Total volume: 276 l
- BORA Fresh zero compartment
- Cool odour filter
- 4-star freezer compartment
- Smart Frost
- Refrigerator compartment dry back panel
- Soft closing damper and soft closing pull-outs
- Fixed door assembly
- LED multi-level lighting



C178KG

Cool refrigerator-freezer

559 x 1770 x 546 mm

- Total volume: 245 l
- BORA Fresh zero compartment
- Cool odour filter
- 4-star freezer compartment
- No Frost system
- Refrigerator compartment dry back panel
- Soft closing damper and soft closing pull-outs
- Fixed door assembly
- LED multi-level lighting



C178KGW

Cool refrigerator-freezer with water connection

559 x 1770 x 546 mm

- Total volume: 246 l
- BORA Fresh zero compartment
- Cool odour filter
- 4-star freezer compartment
- Ice Maker including mains water connection
- No Frost system
- Soft closing damper and soft closing pull-outs
- Fixed door assembly
- LED multi-level lighting/ Ice Maker LED lighting



C194KG

Cool XL refrigerator-freezer

559 x 1938 x 546 mm

- Total volume: 275 l
- BORA Fresh zero compartment
- Cool odour filter
- 4-star freezer compartment
- No Frost system
- Refrigerator compartment dry back panel
- Soft closing damper and soft closing pull-outs
- Fixed door assembly
- LED multi-level lighting



F178GW

Freeze freezer with water connection

559 x 1770 x 546 mm

- Total volume: 213 l
- 4-star freezer compartment
- Ice Maker including mains water connection
- No Frost system
- Soft closing damper and soft closing pull-outs
- Fixed door assembly
- LED multi-level lighting/ Ice Maker LED lighting

Features package and sets



K178S2
Cool Best features package for refrigerator



K178GS2
Cool Best features package for refrigerator-freezer



G178S2
Freeze Best features package for freezer



C178KS2
Cool Best refrigerator set (C178K + K178S2)



C178KGFS2
Cool Best refrigerator with 4-star freezer compartment set (C178KGF + K178S2)



C178KGS2
Cool Best refrigerator-freezer set (C178KG + K178GS2)



C178KGWS2
Cool Best refrigerator-freezer with water connection set (C178KGW + K178GS2)




C194KGS2
Cool Best refrigerator-freezer set (C194KG + K178GS2)



F178GWS2
Freeze Best freezer with water connection set (F178GW + G178S2)

Refrigeration and freezing system accessories

Product number		Designation	Individual items	K178S2	K178GS2	G178S2
KEWZ		**Ice cube tongs**	x			
KFOE		**Bottle opener**	x	x	x	
KGF		**Cool odour filter**	x			
KMH		**Cool multi-use hanging rack**	x	x	x	
KMI		**Cool multi-use spiked mat**	x	x (2)	x	
KMT		**Multi-tray for Cool/Freeze**	x	x	x	
KSB		**Cool serving board**	x	x	x	
KSW		**Cool sorting tubs**	x	x	x	
KVB		**Cool storage box**	x	x (2)	x	x (2)
KVF		**Cube form for Cool/Freeze**	x		x	x (3)
KVS		**Cool refrigerator storage tray**	x	x		
KWK		**Freeze wine cooler**	x			x
006455		**Cool multi-pad**	x			
006456		**Cool silicone pad for storage shelves**	x			
006458		**Refrigerator section glass plate**	x			
006467		**Left multi-tray holding bar**	x			
006468		**Right multi-tray holding bar**	x			
006476		**Cool ice cube receptacle**	x			
006486		**Bottle storage shelf**	x			
006487		**Tinned foods storage shelf**	x			
006490		**Cool BORA Fresh zero tray 14 litre**	x			
006491		**Cool BORA Fresh zero tray 16 litre**	x			
006492		**Cool BORA Fresh zero tray 20 litre**	x			



BORA Horizon

Smart direct and indirect lighting.



High quality and aesthetically pleasing
The BORA Horizon linear pendant light is suspended above worktops, cooktops or the dining table and blends discreetly into the overall kitchen environment, adding a touch of finesse.

Adjustable height
Both BORA Horizon models can be adjusted without tools. With the ‘fixed’ version, this is done using the stop beads on the ceiling housing. With the ‘move’ version, the height can be adjusted on the light fixture itself so as to tailor the height to the conditions in the room.

Convenient operation
The BORA Horizon can be intuitively gesture controlled and offers a wide range of functions: dim light, change light temperature, decouple from direct and indirect lighting and, of course, light on and light off.

Compact 2-in-1 lighting
The linear pendant light can be used as either an indirect ambient light above the dining table or a direct light source above a cooktop. The two light sources can be controlled separately.



LHMSW

Horizon pendant light move – black

Ceiling housing (WxDxH): 670 x 94 x 50 mm

Light fixtures (WxDxH): 1259 x 14 x 35 mm

- Compact 2-in-1 lighting
- Simple operation through gesture controls
- Seamlessly height-adjustable on the lighting fixture



LHFSW

Horizon pendant light fixed – black

Ceiling housing (WxDxH): 670 x 53 x 41 mm

Light fixtures (WxDxH): 1259 x 14 x 35 mm

- Compact 2-in-1 lighting
- Simple operation through gesture controls
- Height adjustable without tools



BORA Stars

Beautifully subtle single and cluster lights for top-quality kitchens.



Variable system
The BORA Stars is available with three lights in a linear or circular arrangement or as an individual light in either a surface-mounted or built-in version.

Premium quality with emotional appeal
The BORA Stars float above worktops, cooktops or the dining table and add a touch of finesse to the overall kitchen environment.

Dimming for perfect lighting in any situation
The BORA Stars models with three lights in a linear or circular arrangement can be infinitely dimmed using a rotary knob or a light switch and thus easily adapted to the cooking situation at hand.



LSLSW
Stars pendant light
3-light linear – black

Ceiling housing (WxDxH):
930 x 42 x 53 mm
Light fixture (DxH):
14 x 330 mm

- Individually height-adjustable without tools
- DALI-controlled



LSZSW
Stars pendant light
3-light circular – black

Ceiling housing (DxH):
393 x 40 mm
Light fixture (DxH):
14 x 330 mm

- Individually height-adjustable without tools
- DALI-controlled



LSASW
Stars pendant light
surface-mounted – black

Ceiling housing (DxH):
124 x 42 mm
Light fixture (DxH):
14 x 330 mm

- Individually height-adjustable without tools



LSESW
Stars pendant light
built-in – black

Ceiling housing (DxH):
107 × 8 mm
Light fixture (DxH):
14 x 330 mm

- Individually height-adjustable without tools
- Flush installation



BORA QVac

The vacuum sealer for longer-lasting food and an extraordinarily fresh taste.

Fresher for longer thanks to vacuum sealing
Vacuum sealing with the BORA QVac keeps fresh food fresh for significantly longer – up to three times longer than with conventional storage. Flavour, texture and quality are preserved to perfection.

Unique installation concept
Thanks to its innovative and unique installation concept, the built-in vacuum sealer can be installed directly beneath the worktop, either flush-mounted or surface-mounted. Alternatively, the BORA QVac Move freestanding vacuum sealer offers the same range of functions and can be conveniently stored away or placed directly on the worktop.

Super-speedy marination
The marinating ring, which is placed on one of the associated vacuum boxes, creates a vacuum. This function reduces the marinating process from several hours or even days to a maximum of just 10 minutes.

Keep liquids fresh for longer
The vacuum seal extends the shelf life of bottled liquids, such as wine or oil, that have been opened. Once vegetables have been cooked, the resultant stock can even be stored as a sauce base, for example.

Vacuum sealers

BORA QVac built-in appliance:



QVACSS
QVac vacuum sealing set,
Stainless Steel



QVACAB
QVac vacuum sealing set,
All Black

BORA QVac Move:



QVACABM
QVac vacuum sealing set,
All Black Move

Accessories



QVACVBO1
QVac vacuum boxes
2x 1 litre



QVACVBO2
QVac vacuum boxes
2x 2 litres



QVACVBE1
QVac vacuum bags
15x 0.6 litres



QVACVBE2
QVac vacuum bags
15x 1.5 litres



QVACVBE3
QVac vacuum bags
15x 2.1 litres



QVACVBES
QVac vacuum bag set
(5x 0.6 litres, 5x 1.5 litres, 5x 2.1 litres)



QVACMR
QVac marinating ring



QVACVV
QVac vacuum seal for bottles
2 pcs



BORA Stick

Perfect cooking results - at just the right temperature.

Maximum flexibility
Whether in the oven, on the barbecue or on the cooktop: The BORA Stick delivers precise measurements, even under demanding conditions. The BORA Stick is not just ideal for meat and fish dishes. It's also ideal for measuring the temperature of liquids in pots. The Pot Clip allows it to be securely attached to the rim of the pot. This allows the temperature to be monitored continuously, ensuring professional-quality results.

Step-by-step guidance with the BORA One app
The BORA One app makes using the BORA Stick as simple as it is precise. All settings can be adjusted precisely and conveniently in the app. For perfect results, the app guides you through recipes step by step.

Minimalist design
Crafted from robust stainless steel and premium ceramic, the BORA Stick is designed to meet the highest demands with ease. The ergonomically designed handle makes it easy to position the probe accurately in the food. The minimalist design and balanced weight ensure that the BORA Stick feels comfortable and secure in the hand.



NEW

STICK
Stick

- Wireless Bluetooth® food thermometer
- Core temperature measurement for food and liquids (displayed in 1 °C increments)
- Connects to both compatible BORA appliances and the BORA One app
- Includes a charging station and a silicone Pot Clip for attaching to the rim of a pot

Registered and pending trademarks:
BORA®
BORA X®
BORA Assist®
BORA Dish®
BORA QVac®
X Pure Max
xControl
xSpeed
xDry
xShield
xFresh
xVac
xHeat
xAir
sClean
eDose

(D)

BORA Lüftungstechnik GmbH
Rosenheimer Strasse 33
83064 Raubling, Germany
T +49 (0) 80 35 98 40 - 0
F +49 (0) 80 35 98 40 - 3 00
support@bora.com

(A)

BORA Vertriebs GmbH & Co KG
Innstrasse 1
6342 Niederndorf, Austria
T +43 (0) 53 73 6 22 50 - 0
F +43 (0) 53 73 6 22 50 - 90
support@bora.com

(INT)

BORA Holding GmbH
Innstrasse 1
6342 Niederndorf, Austria
T +43 (0) 53 73 6 22 50 - 0
F +43 (0) 53 73 6 22 50 - 90
support@bora.com

2027 DE

Gültig ab 01.01.2027. Irrtümer und technische Änderungen vorbehalten. Aufgrund fortwährender Verbesserungen durch Forschung und Entwicklung behält sich BORA das Recht vor, Produktspezifikationen oder Ausstattungsmerkmale ohne vorherige Ankündigungen zu ändern. BORA haftet nicht für Druckfehler. Die Veröffentlichung von Bildern und Grafiken bedarf der schriftlichen Zustimmung.

bora.com